		Application No.	Ap	plicant(s)	
Examiner-Initiated Interview Summ	201	09/626,106	М	MORIMOTO ET AL.	
Examiner-initiated interview Summary		Examiner	Ar	t Unit	
		Bernard E Souw	28	81	
All Participants:	- · · ·	Status of Application	on:		
(1) <u>Bernard E Souw</u> .		(3)			
(2) Mr. John R. Mattingly, applicant's attorney.		(4)			
Date of Interview:		Time:			
Exhibit Shown or Demonstrated: Yes	☐ Applic	ant's representative)			
If Yes, provide a brief description:					
Part I.					
Rejection(s) discussed:					
Claims discussed: All independent claims 2, 4, 8, 14, 16, 19 and 22		·			
Prior art documents discussed: Gamble (USPAT # 5,811,802)					
Part II.					
SUBSTANCE OF INTERVIEW DESCRIBING TH See Continuation Sheet	IE GENE	ERAL NATURE OF WHA	T WAS DI	SCUSSED:	
Part III.					
 ☐ It is not necessary for applicant to provide a sequence of the applicant to provide a sequence of the interview in the Notice of Allowability. ☐ It is not necessary for applicant to provide a sequence of the interview in the Notice of Allowability. ☐ It is not necessary for applicant to provide a sequence of the interview in resolution of all issues. A brief 	ation. The	ne examiner will provide record of the substance	a written s of the inte	ummary of therview, since	ne substance
•					
(Examiner/SPE Signature)	(Applicar	nt/Applicant's Representa	itive Signa	lure – if appr	opriate)

Continuation of Substance of Interview including description of the general nature of what was discussed: As is clear from claim 16, the language "movement mechanism" recited in all independent claims does not exclude piezoelectric means as described in the disclosure, pg.25, lines 3-8 from bottom. However, if piezoelectric means is not excluded, then mm-class (wide) area and micron-class (narrow) area scanning may be performed by a single and the same piezoelectric element. As such, the limitation is inherent in each of the prior arts applied in the previous office action, and is specifically stated by Gamble, Col.1/II.25-29, as already pointed out in the previous office action, pg.6/lines 6-7. The examiner suggests that all the independent claims be modified such that the language would exclude the use of piezoelectric means for mm-class (wide) scanning area. Applicant's attorney agrees to forward the examiner's suggestion the applicants, and, if agreed upon by the applicants, to incorporate a more restricted limitation into the pertinent claims by way of Examiner's Amendment..

/2/N R. LEE

TENT EXAMINER

117E3 22C0